


Circuits	Dimension		
	A	B	C
16	14.00(.551)	30.9(1.217)	22.25(.876)
26	24.00(.945)	40.9(1.610)	32.25(1.270)
50	48.00(1.890)	64.9(2.555)	56.25(2.215)

- * Insulation: Nylon 6T UL 94V-0
- * Contact: Brass
- * Contact plating: see ordering code
- * Solder tail area: 100μ" Matte Tin plating over Nickel

Ordering Code

CH70 ** D M 1 R0
 ① ② ③ ④ ⑤ ⑥

- ① Series No.
- ② No. of Contacts
- ③ Plating option :
 D= Selective 0.25μm(10μ") gold plated over Nickel
- ④ M= With short latch/SMT
- ⑤ Color: 1= Black
- ⑥ Option Code: R0= Tape & Reel



Recommended P.C. Board Layout

Lead Free Process


RoHS compliant

④					DATE	UNIT: mm / inch	TITLE: 2.00MM(.079") STRAIGHT SMT DUAL ROW SHROUDED HEADER
③					DRAWN BY: Karen	11/29-11'	MATERIAL:
②					ENGINEER: Clark	12/8-11'	
①	Karen	11/29-11'	ECN11259/ECR11036-0		CHECKED BY: David	12/8-11'	CUSTOMER: F5E014
SYM	NAME	DATE	REVISIONS		APPROVED BY: David	12/8-11'	



瀚荃股份有限公司
 CviLux Corporation



DRAWING NO.	CH7002SB	PART NO.	CH70**DM1R0
SCALE	2 / 1	SHEET	1 OF 2



NOTE :

- * Reel Material : Corrugated Paper
- * Carrier Material : Clear, Conductive Polystyrene Alloy
- * Cover Tape Material : Polyester
- * Cover Tape Peel Strength : 0.1N – 1.3N
- * Carrier camber is within 1mm in 100mm
- * All dimensions meet EIA-481-C requirements.
- * Quantity : 130 PCS/Reel

Circuits	Dimension					Packing (Reel/Caton)
	E	F	W1	W2	W3	
16	56.0(2.205)	52.4(2.063)	56.5(2.224)	62.5(2.461)	56.5(2.224)	4
26	72.0(2.835)	68.4(2.693)	72.5(2.854)	78.5(3.091)	72.5(2.854)	3
50	88.0(3.465)	84.4(3.323)	88.5(3.484)	94.5(3.720)	88.5(3.484)	2



RoHS Compliant

4					DATE	UNIT: mm / inch	TITLE: 2.00MM(.079") STRAIGHT SMT DUAL ROW SHROUDED HEADER	瀚荃股份有限公司 CviLux Corporation		
3					DRAWN BY: Karen	TOLERANCE UNLESS OTHERWISE SPECIFIED	MATERIAL:			
2					ENGINEER: Clark	.X ± X' ± I'	FINISH: F5E014	SCALE	SHEET 2 OF 2	
1	Karen	11/29-11'	ECN11259/ECR11036-0	CHECKED BY: David	12/8-11'	.XX ± .X' ±				
SYM	NAME	DATE	REVISIONS	APPROVED BY: David	12/8-11'	.XXX ± .XX' ±				

CVILUX CORP
 2011.12.13
 ISSUED