



Recommended P.C. Board Layout



Material:
* Contact: Brass

Ordering Code

CH96 ** * H * **
① ② ③ ④ ⑤ ⑥

- ① Series No.
- ② No. of Circuits
- △③ Plating Code:
 - 1= 3.05 μm(120 μ") Min. Tin over 0.76 μm(30 μ") Nickel
 - 2= Gold flash plated over 1.27 μm(50 μ") Nickel
 - 3= 0.38 μm(15 μ") Gold plated over 1.27 μm(50 μ") Nickel
 - 4= 0.76 μm(30 μ") Gold plated over 1.27 μm(50 μ") Nickel
- ④ H= Right angle
- △⑤ Insulator:
 - 2= PBT UL 94V-0, Color Black
 - A= Nylon 6T UL 94V-0, Color Black
- ⑥ Pin Length Option code:

Option Code	Dimension	
	C	D
00	6.00(.236)	3.00(.118)
01	6.26(.246)	3.20(.126)

A = 2.54 * No. of Spaces
B = A + 2.36
* Available in 9 through 120 circuits

RoHS Compliant

④					DATE	UNIT: mm / inch	TITLE: 2.54MM(.100") TRIPLE ROW BOARD MOUNT PIN HEADER	瀚荃股份有限公司 CviLux Corporation
③	Jim	8/31/06	ECN06307/ECR06075-0	2006.09.15 ISSUED	DRAWN BY: Jim	8/31 06'	TOLERANCE UNLESS OTHERWISE SPECIFIED	
②	Lynn	12/13-04	ECN04465/ECR04109-0		ENGINEER: Easley	9/3 06'	.X ± 0.30/.012 X' ± 1'	MATERIAL:
①	Sun	4/09/04'	ECN04144		CHECKED BY: David	9/3 06'	.XX ± 0.20/.008 X' ±	FINISH:
SYM	NAME	DATE	REVISIONS		APPROVED BY: Alex	9/3 06'	.XXX ± 0.10/.004 XX' ±	DRAWING NO. CH9602SF
								PART NO. CH96***H***
								SCALE 3 / 1
								SHEET 1 OF 1